



www.goldmedalindia.com

POWER YOUR **DREAMS**

WIRES AND CABLES PRICE LIST



Goldmedal
WIRES AND SYSTEMS



ISO
9001:2008

14001:2004 18001:2007

CE
European Certification

IS: 694

GW 03 01 17

Price List w. e. f. 03 January 2017.

FLAME RETARDANT Multi strand single core unsheathed flexible cables in voltage grade upto and including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ₹ Per Coil
06 101	24 / 0.2	(90 mtr.)	0.75	24	880.00
06 102	14 / 0.3	(90 mtr.)	1.0	20	1095.00
06 103	22 / 0.3	(90 mtr.)	1.5	16	1640.00
06 104	36 / 0.3	(90 mtr.)	2.5	10	2635.00
06 105	56 / 0.3	(90 mtr.)	4.0	8	3935.00
06 106	84 / 0.3	(90 mtr.)	6.0	6	5835.00
Supplied in 90 mtr. box packing					
06 107	140 / 0.3	(90 mtr.)	10.0	5	10280.00
06 108	126 / 0.4	(90 mtr.)	16.0	-	16495.00
06 109	196 / 0.4	(90 mtr.)	25.0	-	26070.00
06 110	276 / 0.4	(90 mtr.)	35.0	-	38860.00
06 111	396 / 0.4	(90 mtr.)	50.0	-	57165.00
06 112	556 / 0.4	(90 mtr.)	70.0	-	78175.00
Supplied in Polythene & cloth packing					
06 123*	28 / 0.3	(90 mtr.)	2.0	12	2115.00
Supplied in 90 mtr. box packing					

FLAME RETARDANT Multi strand single core unsheathed flexible cables in voltage grade upto and including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ₹ Per Coil
06 129	14 / 0.3	(45 mtr.)	1.0	40	535.00
06 130	22 / 0.3	(45 mtr.)	1.5	32	805.00
06 131	36 / 0.3	(45 mtr.)	2.5	20	1310.00
06 132	56 / 0.3	(45 mtr.)	4.0	16	1965.00
06 133	84 / 0.3	(45 mtr.)	6.0	12	2840.00
06 150*	28 / 0.3	(45 mtr.)	2.0	24	1035.00
Supplied in 45 mtr. pouch packing					
06 134	24 / 0.2	(180 mtr.)	0.75	12	1760.00
06 135	32 / 0.2	(180 mtr.)	1.0	10	2190.00
06 136	30 / 0.25	(180 mtr.)	1.5	8	3280.00
06 137	50 / 0.25	(180 mtr.)	2.5	5	5270.00
06 143	56 / 0.3	(180 mtr.)	4.0	4	7870.00
06 144	84 / 0.3	(180 mtr.)	6.0	3	11670.00
06 138*	28 / 0.3	(180 mtr.)	2.0	6	4230.00
Supplied in 180 mtr. pouch packing					
06 139	24 / 0.2	(270 mtr.)	0.75	5	2640.00
06 140	32 / 0.2	(270 mtr.)	1.0	5	3285.00
06 141	30 / 0.25	(270 mtr.)	1.5	5	4920.00
06 142	50 / 0.25	(270 mtr.)	2.5	3	7905.00
06 156*	28 / 0.3	(270 mtr.)	2.0	4	6345.00
Supplied in 270 mtr. pouch packing					

HR FR LF (HEAT RESISTANT FLAME RETARDANT LEAD FREE) Multi strand single core unsheathed flexible cables in voltage grade upto & including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ₹ Per Coil
06 166	14 / 0.3	(90 mtr.)	1.0	20	1200.00
06 167	22 / 0.3	(90 mtr.)	1.5	16	1805.00
06 168	36 / 0.3	(90 mtr.)	2.5	10	2840.00
06 169	56 / 0.3	(90 mtr.)	4.0	8	4160.00
Supplied in 90 mtr. box packing					

FRLS (FIRE RETARDANT LOW SMOKE) Multi strand single core unsheathed flexible cables in voltage grade upto & including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ₹ Per Coil
06 162	14 / 0.3	(90 mtr.)	1.0	20	1140.00
06 163	22 / 0.3	(90 mtr.)	1.5	16	1705.00
06 164	36 / 0.3	(90 mtr.)	2.5	10	2735.00
06 165	56 / 0.3	(90 mtr.)	4.0	8	4090.00
06 161	84 / 0.3	(90 mtr.)	6.0	6	6070.00
06 191	140 / 0.3	(90 mtr.)	10.0	5	10390.00
Supplied in 90 mtr. box packing					
06 192	32 / 0.2	(180 mtr.)	1.0	10	2280.00
06 193	30 / 0.25	(180 mtr.)	1.5	8	3410.00
06 194	50 / 0.25	(180 mtr.)	2.5	5	5470.00
06 195	56 / 0.3	(180 mtr.)	4.0	4	8180.00
06 196	84 / 0.3	(180 mtr.)	6.0	3	12140.00
06 197	140 / 0.3	(180 mtr.)	10.0	3	20780.00
Supplied in Polythene & cloth packing					

PVC INSULATED UNSHEATHED COPPER VIR TWISTED WIRE				
Product Code	Number / Dia of Wire in mm	Length in mtrs.	S. W. G	MRP ₹ Per Coil
06 174	1 / 044	(90 mtr.)	1 / 18	1139.00
06 175	1 / 040	(90 mtr.)	1 / 19	984.00
06 176	1 / 036	(90 mtr.)	1 / 20	845.00
06 177	1 / 032	(90 mtr.)	1 / 21	716.00
06 178	3 / 036	(90 mtr.)	3 / 20	2182.00
06 180	7 / 036	(90 mtr.)	7 / 20	4992.00
06 182	7 / 044	(90 mtr.)	7 / 18	7349.00
06 183	HVY 7 / 064	(90 mtr.)	7 / 16	15515.00
06 184	ECO 7 / 064	(90 mtr.)	7 / 16	13927.00
06 185	19 / 044	(90 mtr.)	19 / 18	20470.00
06 186	HVY 19 / 064	(90 mtr.)	19 / 16	42290.00
06 187	ECO 19 / 064	(90 mtr.)	19 / 16	37883.00
06 188	19 / 083	(90 mtr.)	19 / 14	71779.00
Supplied in Polythene & cloth packing.				

Three core flat flexible industrial cable for SUBMERSIBLE pump motors 1100 voltage grade				
Product Code	Number / Dia of Wire in mm	Length in mtrs.	Nominal Area of cond. sq. mm	MRP ₹ Per Coil
06 209	22 / 0.3	(100 mtr.)	1.5	6470.00
06 210	36 / 0.3	(100 mtr.)	2.5	9750.00
06 211	56 / 0.3	(100 mtr.)	4.0	15010.00
06 212	84 / 0.3	(100 mtr.)	6.0	21775.00
06 213	140 / 0.3	(100 mtr.)	10.0	36440.00
Supplied in 100 mtr. Polythene & cloth packing.				
06 219	22 / 0.3	(500 mtr.)	1.5	32350.00
06 220	36 / 0.3	(500 mtr.)	2.5	48750.00
06 221	56 / 0.3	(300 mtr.)	4.0	45030.00
06 222	84 / 0.3	(300 mtr.)	6.0	65325.00
06 223	140 / 0.3	(300 mtr.)	10.0	109320.00
Supplied in 300 & 500 mtr. wooden drum.				

*non isi

Page 01

ZHLS (ZERO HALOGEN LOW SMOKE) Multi strand single core unsheathed flexible cables in voltage grade upto & including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ₹ Per Coil
06 170	14 / 0.3	(90 mtr.)	1.0	20	1230.00
06 171	22 / 0.3	(90 mtr.)	1.5	16	1810.00
06 172	36 / 0.3	(90 mtr.)	2.5	10	2825.00
06 173	56 / 0.3	(90 mtr.)	4.0	8	4095.00
Supplied in 90 mtr. box packing					

Branch & Drop Jelly flooded CO-AXIAL cables (Copper & CCS)					
Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
06 228	RG-59F	(100 mtr.)		8	1951.00
06 229	RG-06	(100 mtr.)		8	2227.00
06 230	RG-06	(100 mtr.)	CCS	8	1644.00
06 231	RG-08	(100 mtr.)		4	2832.00
06 232	RG-11	(100 mtr.)		-	4614.00
Supplied in 100 mtr. box packing.					
06 243	RG-59F	(305 mtr.)		2	5950.00
06 244	RG-06	(305 mtr.)		2	6792.00
06 245	RG-06	(305 mtr.)	CCS	2	5014.00
06 246	RG-08	(305 mtr.)		2	8637.00
06 247	RG-11	(305 mtr.)		-	14073.00
Supplied in 305 mtr. wooden drum.					

Twin Flat / Twin Parallel wire					
Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
06 258	23 / 0060	(90 mtr.)	Twin flat	10	1469.00
06 259	23 / 0060	(90 mtr.)	Twin Parallel	12	1280.00
Supplied in 90 mtr. pouch packing					

PVC insulated two core twisted Flexible copper wire					
Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
06 270	10 / 0076	(90 mtr.)	Serial wire	24	684.00
06 271	10 / 0076	(90 mtr.)	Tin coated	24	745.00
06 272	14 / 0052	(90 mtr.)	Heavy	-	680.00
06 274	23 / 0052	(90 mtr.)	Heavy	-	950.00
06 276	35 / 0048	(90 mtr.)	Heavy	-	1315.00
06 277	40 / 0052	(90 mtr.)	Heavy	-	1662.00
Supplied in 90 mtr. pouch packing					

Speaker wire twin parallel TCBC					
Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
06 293	14 / 0060	(90 mtr.)	TCBC	20	805.00
06 294	23 / 0060	(90 mtr.)	TCBC	20	1226.00
06 295	40 / 0060	(90 mtr.)	TCBC	7	2394.00
06 298	23 / 0060	(90 mtr.)	CCA	20	1205.00
06 299	40 / 0060	(90 mtr.)	CCA	10	2016.00
Supplied in 90 mtr. pouch packing					

CCTV Cables					
Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
06 250	14 / 0052(3+1)	(90 mtr.)		8	2263.00
06 251	14 / 0052(4+1)	(90 mtr.)		8	2524.00
Supplied in 90 mtr. box packing					

PVC insulated sheathed ROUND FLEXIBLE copper wire				
Product Code	Number / Dia of Wire in mm	Length in mtrs.	No. of Core	MRP ₹ Per Coil
06 306	23 / 0060	(90 mtr.)	2 Core	1612.00
06 307	23 / 0060	(90 mtr.)	3 Core	2386.00
06 308	40 / 0060	(90 mtr.)	2 Core	2532.00
06 309	40 / 0060	(90 mtr.)	3 Core	3754.00
06 310	70 / 0076	(90 mtr.)	3 Core	8164.00

Round Silk / Cotton braided copper wire				
Product Code	Number / Dia of Wire in mm	Length in mtrs.		MRP ₹ Per Coil
06 321	23 / 0060	(90 mtr.)	2 Core	1644.00
06 322	23 / 0060	(90 mtr.)	3 Core	2246.00
06 323	23 / 0076	(90 mtr.)	2 Core	2161.00
06 324	23 / 0076	(90 mtr.)	3 Core	3016.00
Supplied in 90 mtr. pouch packing				

COMPUTER and LAN Networking cable (Copper & CCS)					
Product Code	No. of Pairs	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
06 335	CAT 5e UTP	(305 mtr.)		4	7229.00
06 336	CAT 6e UTP	(305 mtr.)		2	9727.00
06 337	CAT 5e UTP	(305 mtr.)	CCS	-	4630.00
06 338	CAT 6e UTP	(305 mtr.)	CCS	-	6400.00
06 339	CAT 5e	(305 mtr.)	SFTP	-	12325.00
Supplied in 305 mtr. box packing					

SINGLE CORE PVC insulated Aluminum conductor sheathed weather proof Service wire. (Black)					
Product Code	No. / Dia of Wire in mm	Length in yds.	S. W. G	Std. Pkg. M Carton	MRP ₹ Per Coil
06 355	7 / 0.036	(100 yds.)	7 / 20	6	1284.00
06 356	7 / 0.044	(100 yds.)	7 / 18	6	1651.00
06 357	7 / 0.064	(100 yds.)	7 / 16	5	2977.00
06 358	7 / 0.083	(100 yds.)	7 / 14	4	4704.00
06 359	19 / 0.064	(100 yds.)	19 / 16	-	6575.00
06 360	19 / 0.083	(100 yds.)	19 / 14	-	10712.00
06 361	37 / 0.064	(100 yds.)	37 / 16	-	12249.00
06 362	37 / 0.083	(100 yds.)	37 / 14	-	18834.00
06 377	7 / 0.036	(500 yds.)	7 / 20	2	6422.00
06 378	7 / 0.044	(500 yds.)	7 / 18	2	8255.00
06 379	7 / 0.064	(500 yds.)	7 / 16	1	14883.00
06 380	7 / 0.083	(300 yds.)	7 / 14	-	14111.00
Supplied in Polythene & cloth packing.					

Price List w. e. f. 03 January 2017.

Self Adhesive PVC Electrical Insulation Tape 				
Product Code	Size	Length in mtrs.	Thickness	MRP ₹ Per Pc.
06 325	1.80 cm	(8 mtr.)	0.125 mm	18.20

TWIN FLAT PVC insulated Aluminum conductor sheathed weather proof Service wire. (Black & White) 					
Product Code	No. / Dia of Wire in mm	Length in yds.	S. W. G	Std. Pkg. M Bag	MRP ₹ Per Coil
06 392	7 / 0.036	(100 yds.)	7 / 20	4	2809.00
06 393	7 / 0.044	(100 yds.)	7 / 18	4	3409.00
06 394	7 / 0.064	(100 yds.)	7 / 16	3	6276.00
06 405	7 / 0.036	(500 yds.)	7 / 20	1	14044.00
06 406	7 / 0.044	(500 yds.)	7 / 18	1	17044.00
06407	7 / 0.064	(500 yds.)	7 / 16	1	31380.00

PVC insulated sheathed SINGLE CORE SOLID Aluminium cables upto & including 1100 Volts 				
Product Code	Number / Dia of Wire in inch.	Length in yds.	Nom.of area of cond. sq. Mm	MRP ₹ Per Coil
06 417	1 / 0.070	(100 yds.)	2.5	694.00
06 418	1 / 0.089	(100 yds.)	4.0	951.00
06 419	1 / 0.110	(100 yds.)	6.0	1313.00
06 420	1 / 0.140	(100 yds.)	10.0	1785.00

TELEPHONE SWITCHBOARD cables as per G/WIR 03/03, 06/03 & ITD S/WS 113B 					
Product Code	No. of Pairs	Length in mtrs.	Nominal / Dia Wire in mm	Std. Pkg. M Carton	MRP ₹ Per Coil
06 461	1 Pair	(90 mtr.)	0.50	20	729.00
06 462	2 Pairs	(90 mtr.)	0.50	14	1186.00
Supplied in pouch packing					
06 463	3 Pairs	(90 mtr.)	0.50	-	1851.00
06 464	4 Pairs	(90 mtr.)	0.50	-	2380.00
06 465	5 Pairs	(90 mtr.)	0.50	-	2960.00
06 466	6 Pairs	(90 mtr.)	0.50	-	3590.00
06 467	7 Pairs	(90 mtr.)	0.50	-	4147.00
06 468	8 Pairs	(90 mtr.)	0.50	-	4784.00
06 469	10 Pairs	(90 mtr.)	0.50	-	6242.00
06 470	12 Pairs	(90 mtr.)	0.50	-	7338.00
06 471	15 Pairs	(90 mtr.)	0.50	-	9234.00
06 472	20 Pairs	(90 mtr.)	0.50	-	11708.00
06 473	25 Pairs	(90 mtr.)	0.50	-	14701.00
Supplied in polythene packing					
06 490	1 Pair	(450 mtr.)	0.50	-	3644.00
06 491	2 Pairs	(450 mtr.)	0.50	-	5931.00
Supplied in 450 mtr. wooden Drum.					
06 493	1 Pair	(90mtr.)	0.40	20	591.00
06 494	2 Pairs	(90mtr.)	0.40	14	894.00
Supplied in pouch packing					
06 495	1 Pair	(450mtr.)	0.40	-	2955.00
06 496	2 Pairs	(450mtr.)	0.40	-	4470.00
Supplied in 450 mtr. wooden Drum.					

PVC insulated sheathed TWIN CORE SOLID Aluminium cables upto & including 1100 Volts 				
Product Code	Number / Dia of Wire in inch.	Length in yds.	Nom.of area of cond. sq. Mm	MRP ₹ Per Coil
06 431	1 / 0.070	(100 yds.)	2.5	1439.00
06 432	1 / 0.089	(100 yds.)	4.0	1911.00
06 433	1 / 0.110	(100 yds.)	6.0	2589.00
06 434	1 / 0.140	(100 yds.)	10.0	3936.00

PVC insulated unsheathed Electrolytic Stranded ALUMINIUM VIR conductor cable upto & including 1100 Volts 				
Product Code	Number / Dia of Wire in inch.	Length in yds.	Nom.of area of cond. sq. Mm	MRP ₹ Per Coil
06 445	1/0.055	(100 yds.)	1.5	389.00
06 446	3/0.044	(100 yds.)	2.5	563.00
06 447	7/0.029	(100 yds.)	4.0	758.00
06 448	7/0.036	(100 yds.)	6.0	935.00
06 449	7/0.044	(100 yds.)	10.0	1241.00

MULTICORE ROUND FR PVC insulated copper conductor sheathed black cables in voltage grade up to and including 1100V with bright annealed bare copper based on IS 694 				
Product Code	Size in sq. mm.	No. of Core	No. of Strands / Dia of Strand	MRP ₹ Per Coil
06 502	0.50	2 Core	16 / 0.20	1847.00
06 503	0.50	3 Core	16 / 0.20	2542.00
06 504	0.50	4 Core	16 / 0.20	3259.00
06 505	0.75	2 Core	24 / 0.20	2269.00
06 506	0.75	3 Core	24 / 0.20	3748.00
06 507	0.75	4 Core	24 / 0.20	4923.00
06 508	1.00	2 Core	32 / 0.20	3188.00
06 509	1.00	3 Core	32 / 0.20	4422.00
06 510	1.00	4 Core	32 / 0.20	5562.00
06 511	1.50	2 Core	30 / 0.25	4351.00
06 512	1.50	3 Core	30 / 0.25	5906.00
06 513	1.50	4 Core	30 / 0.25	7627.00
06 514	2.50	2 Core	50 / 0.25	6810.00
06 515	2.50	3 Core	50 / 0.25	9385.00
06 516	2.50	4 Core	50 / 0.25	12484.00
06 517	4.00	2 Core	56 / 0.30	10163.00
06 518	4.00	3 Core	56 / 0.30	15488.00
06 519	4.00	4 Core	56 / 0.30	19154.00
06 520	6.00	2 Core	84 / 0.30	15211.00
06 521	6.00	3 Core	84 / 0.30	22154.00
06 522	6.00	4 Core	84 / 0.30	28645.00
06 523	10.00	3 Core	140 / 0.30	37222.00
06 524	10.00	4 Core	140 / 0.30	48026.00
06 525	16.00	3 Core	101 / 0.45	68589.00
06 526	16.00	4 Core	101 / 0.45	87458.00
06 527	25.00	3 Core	168 / 0.45	108595.00
06 528	25.00	4 Core	168 / 0.45	142639.00
06 529	35.00	3 Core	220 / 0.45	145263.00
06 530	35.00	4 Core	220 / 0.45	194413.00
Supplied in 100 mtr. cloth & polythene packing				

GW 03 01 17

G-PLUS Multi strand, single core unsheathed flexible cables in voltage grade upto and including 1100 V.


Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ₹ Per Coil
20 101	24 / 0.2	(90 mtr.)	0.75	24	855.00
20 102	14 / 0.3	(90 mtr.)	1.0	20	1040.00
20 103	22 / 0.3	(90 mtr.)	1.5	16	1590.00
20 104	36 / 0.3	(90 mtr.)	2.5	10	2540.00
20 105	56 / 0.3	(90 mtr.)	4.0	8	3840.00
Supplied in 90 mtr. box packing					
20 106	84 / 0.3	(90 mtr.)	6.0	6	5715.00
20 107	140 / 0.3	(90 mtr.)	10.0	-	9420.00
20 108	126 / 0.4	(90 mtr.)	16.0	-	13985.00
20 109	196 / 0.4	(90 mtr.)	25.0	-	23145.00
Supplied in Polythene & cloth packing					
20 122	28 / 0.3	(90 mtr.)	2.0	12	1980.00
Supplied in 90 mtr. box packing					

G-PLUS Multi strand, single core unsheathed flexible cables in voltage grade upto and including 1100 V.


Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ₹ Per Coil
20 126	14 / 0.3	(45 mtr.)	1.0	40	497.00
20 127	22 / 0.3	(45 mtr.)	1.5	32	772.00
20 128	36 / 0.3	(45 mtr.)	2.5	20	1233.00
20 129	56 / 0.3	(45 mtr.)	4.0	16	1860.00
20 147*	28 / 0.3	(45 mtr.)	2.0	24	966.00
Supplied in 45 mtr. poly wrapped.					
20 131	14 / 0.3	(180 mtr.)	1.0	6	2080.00
20 132	22 / 0.3	(180 mtr.)	1.5	5	3180.00
20 133	36 / 0.3	(180 mtr.)	2.5	5	5080.00
20 140	56 / 0.3	(180 mtr.)	4.0	5	7680.00
Supplied in 180 mtr. poly wrapped.					
20 136	24 / 0.2	(270 mtr.)	0.75	6	2565.00
20 137	14 / 0.3	(270 mtr.)	1.0	6	3120.00
20 138	22 / 0.3	(270 mtr.)	1.5	5	4770.00
20 139	36 / 0.3	(270 mtr.)	2.5	4	7620.00
20 152*	28 / 0.3	(270 mtr.)	2.0	4	5940.00
Supplied in 270 mtr. poly wrapped.					

SUBMERSIBLE Three core flat FR PVC insulated sheathed copper conductor / double insulation Heavy


Product Code	Number / Dia of Wire in mm	Length in mtrs.	Nominal Area of cond. sq. mm	MRP ₹ Per Coil
20 157	22 / 0.3	(100 mtr.)	1.5	6244.00
20 158	36 / 0.3	(100 mtr.)	2.5	9411.00
20 159	56 / 0.3	(100 mtr.)	4.0	14257.00
20 160	84 / 0.3	(100 mtr.)	6.0	21122.00
Supplied in 100 mtr. Polythene & cloth packing.				
20 164	22 / 0.3	(500 mtr.)	1.5	31220.00
20 165	36 / 0.3	(500 mtr.)	2.5	47055.00
20 166	56 / 0.3	(300 mtr.)	4.0	42770.00
Supplied in 300 & 500 mtr. wooden drum.				

Price List w. e. f. 03 January 2017.

Twin Flat / Twin Parallel wire

Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
20 171	23 / 0060	(90 mtr.)	Twin flat	10	1166.00
20 172	23 / 0060	(90 mtr.)	Twin Parallel	10	1045.00
Supplied in 90 mtr. poly wrapped.					

PVC insulated two core twisted Flexible copper wire

Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
20 175	10 / 0076	(90 mtr.)	Serial wire	24	556.00
20 176	10 / 0076	(90 mtr.)	Tin coated	24	595.00
20 177	23 / 0052	(90 mtr.)	Heavy	-	798.00
Supplied in 90 mtr. poly wrapped.					

Branch & Drop Jelly flooded CO-AXIAL cables

Product Code	Number / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
20 201	RG-59F	(100 mtr.)		8	
20 202	RG-06	(100 mtr.)		8	2229.00
Supplied in 100 mtr. Box packing.					
20 213	RG-59F	(305 mtr.)		2	
20 214	RG-06	(305 mtr.)		2	6715.00
Supplied in 305 mtr. wooden drum.					

TELEPHONE DROP & SWITCHBOARD cables as per BS 6746 & ITD S/WS 113B

Product Code	No. of Pairs	Length in mtrs.	Nominal / Dia Wire in mm	Std. Pkg. M Carton	MRP ₹ Per Coil
20 225	1 Pair	(90 mtr.)	0.40	20	555.00
20 226	2 Pairs	(90 mtr.)	0.40	14	865.00
Supplied in 90 mtr. box packing					
20 242	1 Pair	(450mtr.)	0.40		2773.00
20 243	2 Pairs	(450mtr.)	0.40		4325.00
Supplied in 450 mtr. Wooden Drum.					

COMPUTER and LAN Networking cable

Product Code	Number of Pairs	Length in mtrs.		Std. Pkg. M Carton	MRP ₹ Per Coil
20 254	CAT 5e UTP	(305 mtr.)		4	7209.00
Supplied in 305 mtr. Box packing					

SINGLE CORE PVC insulated Aluminum conductor sheathed weather proof Service wire. (Black)

Product Code	Number / Dia of Wire in inch.	Length in yds.	S. W. G	MRP ₹ Per Coil
20 265	7 / 0.036	(100 yds.)	7 / 20	1037.00
20 266	7 / 0.044	(100 yds.)	7 / 18	1331.00
20 267	7 / 0.064	(100 yds.)	7 / 16	2392.00
Supplied in 100 yds. Polythene & cloth packing.				
20 278	7 / 0.036	(500 yds.)	7 / 20	5184.00
20 279	7 / 0.044	(500 yds.)	7 / 18	6654.00
20 280	7 / 0.064	(500 yds.)	7 / 16	11961.00
Supplied in 500 yds. Polythene & cloth packing.				

*non isi

Page 04

Price List w. e. f. 03 January 2017.

TWIN FLAT PVC insulated Aluminum conductor sheathed weather proof Service wire. (Black & White)					
Product Code	No. / Dia of Wire in inch.	Length in yds.	S. W. G	Std. Pkg. M Carton	MRP ₹ Per Coil
20 291	7 / 0.036	(100 yds.)	7 / 20	5	1999.00
20 292	7 / 0.044	(100 yds.)	7 / 18	4	2754.00
20 303	7 / 0.036	(500 yds.)	7 / 20	2	9994.00
20 304	7 / 0.044	(500 yds.)	7 / 18	1	13768.00
Supplied in polythene & cloth packing.					

PVC INSULATED UNSHEATHED COPPER VIR TWISTED WIRE				
Product Code	Number / Dia of Wire in mm	Length in mtrs.	S. W. G	MRP ₹ Per Coil
20 321	1 / 036	(90 mtr.)	1 / 18	750.00
20 322	3 / 036	(90 mtr.)	3 / 20	1924.00
20 323	7 / 036	(90 mtr.)	7 / 20	4405.00
20 324	7 / 044	(90 mtr.)	7 / 18	6630.00
20 325	7 / 064	(90 mtr.)	7 / 16	12641.00
20 326	19 / 064	(90 mtr.)	19 / 16	33587.00
Supplied in Polythene & cloth packing.				

MULTICORE ROUND FR PVC insulated copper conductor sheathed black cables in voltage grade up to and including 1100V with bright annealed bare copper based on IS 694 : 1990				
Product Code	Size in sq. mm.	No. of Core	No. of Strands / Dia of Strand	MRP ₹ Per Coil
20 347	0.50	2 Core	16 / 0.20	1660.00
20 348	0.50	3 Core	16 / 0.20	2330.00
20 349	0.50	4 Core	16 / 0.20	3017.00
20 350	0.75	2 Core	24 / 0.20	2209.00
20 351	0.75	3 Core	24 / 0.20	3118.00
20 352	0.75	4 Core	24 / 0.20	4215.00
20 353	1.00	2 Core	32 / 0.20	2649.00
20 354	1.00	3 Core	32 / 0.20	3619.00
20 355	1.00	4 Core	32 / 0.20	4548.00
20 356	1.50	2 Core	48 / 0.20	3439.00
20 357	1.50	3 Core	48 / 0.20	4737.00
20 358	1.50	4 Core	48 / 0.20	6211.00
20 359	2.50	2 Core	80 / 0.20	5273.00
20 360	2.50	3 Core	80 / 0.20	7558.00
20 361	2.50	4 Core	80 / 0.20	9946.00
20 362	4.00	2 Core	56 / 0.30	8657.00
20 363	4.00	3 Core	56 / 0.30	12490.00
20 364	4.00	4 Core	56 / 0.30	16547.00
20 365	6.00	2 Core	84 / 0.30	13058.00
20 366	6.00	3 Core	84 / 0.30	18498.00
20 367	6.00	4 Core	84 / 0.30	24573.00
20 368	10.00	3 Core	140 / 0.30	30986.00
20 369	10.00	4 Core	140 / 0.30	41016.00
20 370	16.00	4 Core	226 / 0.30	65206.00
Supplied in 90 mtr. cloth & polythene packing				

Colours available: Red, Yellow, Blue, Black & Green

Project Packing: 180mtr & 270 mtr in Pouch Packing.

Packing: Orders should be in standard Packing only.

Excise Duty: These Prices Are Inclusive Excise Duty.

CST: Exempted against "C" form (supply from bhiwadi unit,) or extra as applicable

Octroi: Extra as applicable

This is Revised Price List, hence all previous Price List & Discount will not be considered. Central /state /local Taxes shall be charged as applicable. Company reserve the Rights to change the price without prior notice. Orders placed are subject to company's confirmation. Disputes, if any, are subject to bhiwadi (Rajasthan) Jurisdiction. Good are dispatched by us on purchaser's risk.

As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guide line only. It may vary within the limits of IS : 8130:1994 with its related classes and tables.

The item marked * are non stock items, Please refer to the marketing dept. for delivery schedule.



SCAN this QR-code with your smart phone to know more about


SAMBHAVNATH INDUSTRIES INDIA PVT. LTD.

531-E(SPA), RIICO Industrial Area, Phase 1, Bhiwadi, Dist. - Alwar, Rajasthan - 301019. India E-mail : wires@goldmedalindia.com www.goldmedalindia.com

Customer Care No. : 01493-222342