www.goldmedalindia.com

Goldmedal®
SWITCHES & SYSTEMS

TOTAL QUALITY. TOTAL PERFORMANCE.

PRODUCT & PRICING MANUAL

EDITION-1

2017

DB
MCB
ISOLATOR
RCCB
CHANGEOVER
ROTARY
SWITCH
FUSE &
MAIN
SWITCH

Atlantic | Allessio

A WORLD OF SAFETY, SIMPLI

Atlantic
Allessio

DB, MCB, ISOLATOR, RCCB, CHANGEOVER,
ROTARY SWITCH, FUSE & MAIN SWITCH

CITY AND EFFICIENCY.

Goldmedal®
SWITCHES & SYSTEMS

ELECTRICITY PLAYS A VITAL ROLE IN TODAY'S WORLD. IT HAS BROUGHT ALONG WITH IT A HOST OF CONVENIENCES, SOME OF THEM BEYOND IMAGINATION. HARNESSING THIS ENERGY, DISTRIBUTING IT IN A CONTROLLED MANNER AND UTILIZING IT IN HOMES, OFFICES AND INDUSTRIES IN A SAFE, SIMPLE AND EFFICIENT MANNER ARE THE CHALLENGES WE FACE TODAY. GOLDMEDAL HAS AN ARRAY OF SOLUTIONS WITHIN THE ATLANTIC AND ALLESSIO RANGE OF PRODUCTS THAT MANAGES POWER IN BOTH DOMESTIC AS WELL AS COMMERCIAL SETTINGS. MANUFACTURED IN WORLD-CLASS FACTORIES, USING INTERNATIONAL-QUALITY PROCESSES AND MATERIALS, GOLDMEDAL PRODUCTS ASSURE YOU OF THE VERY HIGHEST STANDARDS IN PERFORMANCE, QUALITY, SAFETY AND RELIABILITY.

DBs (Double Door)

ALWAYS ON WATCH.
NEVER BLINKS. NEVER SLEEPS.

GOLDMEDAL DBS SAFEGUARD YOUR PREMISES AND PROTECT LIVES FROM THE DANGERS OF ELECTRICAL HAZARDS CAUSED BY SHORT CIRCUITS, OVERLOADS AND EARTH LEAKAGE. THE NEW ALLESSIO DOUBLE-DOOR DBS ARE NOT MERELY ENCLOSURES BUT A COMPREHENSIVE SYSTEM OF MCBS, ELCBS AND ISOLATORS THAT FACILITATE EFFECTIVE DISTRIBUTION OF CURRENT IN A SAFE, EASY AND RELIABLE MANNER. DESIGNED WITH AMPLE SPACE FOR WIRING, THESE DBS MEET ALL INTERNATIONAL STANDARDS TO ENSURE COMPLETE SAFETY AT ALL TIMES.

DBs (Single Door)

YOUR OWN ELECTRICAL WATCHDOG.
ON GUARD 24 X 7.

DISTRIBUTION BOARDS PLAY A VITAL ROLE IN SAFEGUARDING YOUR ASSETS AND LIVES IN DOMESTIC AS WELL AS INDUSTRIAL PREMISES. LIKE THE DOUBLE-DOOR DBS, THE NEW ALLESSIO SINGLE-DOOR DBS ARE PRECISION ENGINEERED TO ENSURE A PERFECT FINISH IN EVERY RESPECT. THE AESTHETIC SUPERIORITY OF THESE DBS MAKE THEM THE IDEAL CHOICE FOR HOMES AND OFFICES ALIKE. COMPACT IN SIZE, THESE DBS HAVE AMPLE SPACE FOR WIRING AND EASY CONNECTIONS.

MCBs

YOU ARE IN SAFE HANDS.

Atlantic | Allessio

GOLDMEDAL MCBS PROVIDE MANY FEATURES THAT SAFEGUARD HUMAN LIFE AND PROPERTY AGAINST THE HAZARDS OF ELECTRICAL OVERLOADS AND SHORT CIRCUITS. AN EFFICIENT, CURRENT LIMITING DEVICE, GOLDMEDAL MCBS ARE WELL-ENGINEERED TO PROVIDE NECESSARY PROTECTION THROUGH IN BUILT BI-METAL ELEMENTS AND ELECTROMAGNETIC RELEASE, RESPECTIVELY. IN BOTH CASES, SAFE AND RAPID INTERRUPTION IS ASSURED.

AllessioMCB

Goldmedal® SWITCHES & SYSTEMS

ALLESSIO MINIATURE CIRCUIT BREAKER (10kA) C' CURVE - SP

Code	Item - Rating Amps/ Volts		MRP ₹	Pkg. Unit/Cs.
02301	6 Amp.		153.00	10
02302	10 Amp.		153.00	10
02303	16 Amp.		153.00	10
02304	20 Amp.		153.00	10
02305	25 Amp.		153.00	10
02306	32 Amp.	IS/IEC:60898	153.00	10
02307	40 Amp.		338.00	10
02308	63 Amp.	CM/L:9328584	410.00	10

ALLESSIO MINIATURE CIRCUIT BREAKER (10kA) C' CURVE - DP

02320	6 Amp.		585.00	6
02321	10 Amp.		585.00	6
02322	16 Amp.		585.00	6
02323	20 Amp.		585.00	6
02324	25 Amp.		585.00	6
02325	32 Amp.	IS/IEC:60898	585.00	6
02326	40 Amp.		799.00	6
02327	63 Amp.	CM/L:9328584	899.00	6

ALLESSIO MINIATURE CIRCUIT BREAKER (10kA) C' CURVE - TP

02330	6 Amp.		950.00	4
02331	10 Amp.		950.00	4
02332	16 Amp.		950.00	4
02333	20 Amp.		950.00	4
02334	25 Amp.		950.00	4
02335	32 Amp.	IS/IEC:60898	950.00	4
02336	40 Amp.		1350.00	4
02337	63 Amp.	CM/L:9328584	1580.00	4

ALLESSIO MINIATURE CIRCUIT BREAKER (10kA) C' CURVE - TPN

02340	6 Amp.		1225.00	3
02341	10 Amp.		1225.00	3
02342	16 Amp.		1225.00	3
02343	20 Amp.		1225.00	3
02344	25 Amp.		1225.00	3
02345	32 Amp.	IS/IEC:60898	1225.00	3
02346	40 Amp.		1425.00	3
02347	63 Amp.	CM/L:9328584	1725.00	3

AllessioMCB

ALLESSIO MINIATURE CIRCUIT BREAKER 10kA C' CURVE - FP

Code	Item - Rating Amps/ Volts	MRP ₹	Pkg. Unit/Cs.
02350	6 Amp.	1250.00	3
02351	10 Amp.	1250.00	3
02352	16 Amp.	1250.00	3
02353	20 Amp.	1250.00	3
02354	25 Amp.	1250.00	3
02355	32 Amp.	1250.00	3
02356	40 Amp.	1450.00	3
02357	63 Amp.	1750.00	3

IS/IEC:60898
CM/L:9328584

ALLESSIO ISOLATOR - DP

02360	40 Amp.	425.00	6
02361	63 Amp.	525.00	6
02362	100 Amp.	760.00	6

IS/IEC:60898
CM/L:9328584



ALLESSIO ISOLATOR - TP

02368	40 Amp.	840.00	4
02369	63 Amp.	920.00	4
02370	100 Amp.	1140.00	4

IS/IEC:60898
CM/L:9328584



ALLESSIO ISOLATOR - FP

02376	40 Amp.	949.00	3
02377	63 Amp.	1049.00	3
02378	100 Amp.	1249.00	3

IS/IEC:60898
CM/L:9328584

ALLESSIO RCCB - DP

02400	25 A DP 30mA	2200.00	6
02401	25 A DP 100mA	2200.00	6
02402	25 A DP 300mA	2250.00	6
02403	40 A DP 30mA	2500.00	6
02404	40 A DP 100mA	2600.00	6
02405	40 A DP 300mA	2650.00	6
02406	63 A DP 30mA	3000.00	6
02407	63 A DP 100mA	3100.00	6
02408	63 A DP 300mA	3250.00	6

AllessioMCB

Goldmedal®
SWITCHES & SYSTEMS

Code	Item - Rating Amps/ Volts	MRP ₹	Pkg. Unit/Cs.
ALLESSIO RCCB - FP			
02412	25A FP 30mA	2800.00	3
02413	25A FP 100mA	3100.00	3
02414	25A FP 300mA	3300.00	3
02415	40A FP 30mA	2900.00	3
02416	40A FP 100mA	3200.00	3
02417	40A FP 300mA	3400.00	3
02418	63A FP 30mA	3500.00	3
02419	63A FP 100mA	3700.00	3
02420	63A FP 300mA	3900.00	3

ALLESSIO ROTARY SWITCH			
02433	3 Ways - 40 A	1080.00	1
02434	3 Ways - 63 A	1120.00	1

ALLESSIO DOUBLE DOOR DB's - PLASTIC WITH METAL BASE			
04152	4 - 6 Ways	1245.00	10
04153	7 - 9 Ways	1483.00	10
04154	10 - 12 Ways	1756.00	10
04155	13 - 16 Ways	2089.00	5
04156	16 - 20 Ways	2440.00	5

Metal base with transparent grey cover

AllessioDB

Code	Item - No. of Ways	MRP ₹	Pkg. Unit/Cs.
ALLESSIO SINGLE DOOR (METAL) DISTRIBUTION BOARD - SPN - IP20			
04191*	4 Ways	1055.00	16
04192*	8 Ways	1320.00	12
04193*	12 Ways	1565.00	12
04194*	16 Ways	1950.00	9

The new Allessio series of MCB Distribution boards IP20, Steel Sheet, Phosphatised, powder coated with din rail, removable busbar, shrouded neutral/earth link with Conditional Short Circuit Rating of 15kA in SPN DB provided with Isolable neutral link to carry out isolation test, also with high integrity/Clean Earth kit as accessory for electronic/IT installation to meet international safety standards DB is designed with ample space for wiring.

ALLESSIO DOUBLE DOOR (METAL) DISTRIBUTION BOARD - SPN - IP43			
04201*	4 Ways	1550.00	16
04202	6 Ways	1750.00	16
04203*	8 Ways	2000.00	12
04204*	12 Ways	2400.00	12
04205*	16 Ways	3000.00	9

The new Allessio series of MCB Distribution boards IP43, Steel Sheet, Phosphatised, powder coated with din rail, removable busbar, shrouded neutral/earth link with Conditional Short Circuit Rating of 15kA in SPN DB provided with Isolable neutral link to carry out isolation test, also with high integrity/Clean Earth kit as accessory for electronic/IT installation to meet international safety standards DB is designed with ample space for wiring.

ALLESSIO DOUBLE DOOR (METAL) DISTRIBUTION BOARD - TPN - IP43			
04215*	4 Ways (8+12)	3650.00	6
04216*	6 Ways (8+18)	4450.00	6
04217*	8 Ways (8+24)	5350.00	6
04218*	12 Ways (8+36)	8000.00	6
04219*	16 Ways (8+48)	10200.00	6

The new Allessio series of MCB Distribution boards IP43, Steel Sheet, Phosphatised, powder coated with din rail, removable busbar, shrouded neutral/earth link.
Suitable for flush mounting and surface mounting, fully insulated bus bar & neutral bar with door earthing. With provision for FP MCB/ISOLATOR/RCCB/RCBO as incomer and SP MCBs as outgoing, supllied with wire set and neutral bar, earth bar and cable ties for cable management. With 100A copper bus bar for each phase.

* introducing shortly

Atlantic MCB

Goldmedal® SWITCHES & SYSTEMS

ATLANTIC MINIATURE CIRCUIT BREAKER (10kA) C' CURVE - SP

Code	Item - Rating Amps/ Volts	MRP ₹	Pkg. Unit/Cs.
04301	6 Amp.	132.00	10
04302	10 Amp.	132.00	10
04303	16 Amp.	132.00	10
04304	20 Amp.	132.00	10
04305	25 Amp.	132.00	10
04306	32 Amp.	132.00	10
04307	40 Amp.	275.00	10
04308	63 Amp.	325.00	10

IS/IEC:60898
CM/L:9328584

ATLANTIC MINIATURE CIRCUIT BREAKER (10kA) C' CURVE - DP

04320	6 Amp.	439.00	6
04321	10 Amp.	439.00	6
04322	16 Amp.	439.00	6
04323	20 Amp.	439.00	6
04324	25 Amp.	439.00	6
04325	32 Amp.	439.00	6
04326	40 Amp.	595.00	6
04327	63 Amp.	699.00	6

IS/IEC:60898
CM/L:9328584

ATLANTIC MINIATURE CIRCUIT BREAKER (10kA) C' CURVE - TP

04330	6 Amp.	719.00	4
04331	10 Amp.	719.00	4
04332	16 Amp.	719.00	4
04333	20 Amp.	719.00	4
04334	25 Amp.	719.00	4
04335	32 Amp.	719.00	4
04336	40 Amp.	899.00	4
04337	63 Amp.	1149.00	4

IS/IEC:60898
CM/L:9328584

ATLANTIC MINIATURE CIRCUIT BREAKER (10kA) C' CURVE - TPN

04340	6 Amp.	999.00	3
04341	10 Amp.	999.00	3
04342	16 Amp.	999.00	3
04343	20 Amp.	999.00	3
04344	25 Amp.	999.00	3
04345	32 Amp.	999.00	3
04346	40 Amp.	1199.00	3
04347	63 Amp.	1449.00	3

IS/IEC:60898
CM/L:9328584

Atlantic MCB

ATLANTIC MINIATURE CIRCUIT BREAKER (10kA) C' CURVE - FP

Code	Item - Rating Amps/ Volts	MRP ₹	Pkg. Unit/Cs.
04350	6 Amp.	1049.00	3
04351	10 Amp.	1049.00	3
04352	16 Amp.	1049.00	3
04353	20 Amp.	1049.00	3
04354	25 Amp.	1049.00	3
04355	32 Amp.	1049.00	3
04356	40 Amp.	1249.00	3
04357	63 Amp.	1499.00	3

IS/IEC:60898
CM/L:9328584

ATLANTIC ISOLATOR - DP

04360	40 Amp.	369.00	6
04361	63 Amp.	445.00	6
04362	100 Amp.	645.00	6

IS/IEC:60898
CM/L:9328584

ATLANTIC ISOLATOR - TP

04368	40 Amp.	714.00	4
04369	63 Amp.	782.00	4
04370	100 Amp.	969.00	4

IS/IEC:60898
CM/L:9328584

ATLANTIC ISOLATOR - FP

04376	40 Amp.	799.00	3
04377	63 Amp.	899.00	3
04378	100 Amp.	1009.00	3

IS/IEC:60898
CM/L:9328584

ATLANTIC RCCB - DP

04400	25 A DP 30mA	2200.00	6
04401	25 A DP 100mA	2200.00	6
04402	25 A DP 300mA	2250.00	6
04403	40 A DP 30mA	2500.00	6
04404	40 A DP 100mA	2600.00	6
04405	40 A DP 300mA	2650.00	6
04406	63 A DP 30mA	3000.00	6
04407	63 A DP 100mA	3100.00	6
04408	63 A DP 300mA	3250.00	6

Atlantic MCB

Goldmedal® SWITCHES & SYSTEMS

Code	Item - Rating Amps/ Volts	MRP ₹	Pkg. Unit/Cs.
ATLANTIC RCCB - FP			
04412	25A FP 30mA	2800.00	3
04413	25A FP 100mA	3100.00	3
04414	25A FP 300mA	3300.00	3
04415	40A FP 30mA	2900.00	3
04416	40A FP 100mA	3200.00	3
04417	40A FP 300mA	3400.00	3
04418	63A FP 30mA	3500.00	3
04419	63A FP 100mA	3700.00	3
04420	63A FP 300mA	3900.00	3

ATLANTIC CHANGEOVER - DP			
04430	25Amp	1350.00	6
04432	40Amp	1650.00	6

ATLANTIC CHANGEOVER - FP			
04435	25Amp	2550.00	3
04437	40Amp	3050.00	3

ATLANTIC DOUBLE DOOR DISTRIBUTION BOARD - PLASTIC BASE			
04116	5 - 7 ways	1015.00	16
04117	7 - 9 ways	1190.00	16
04118	10 - 12 ways	1435.00	10
04119	14 - 16 ways	1931.00	10
04120	17 - 19 ways	2146.00	10

Fireproof Plastic with transparent grey cover

AtlanticDB



Code	Item - No. of Ways	MRP ₹	Pkg. Unit/Cs.
ATLANTIC DOUBLE DOOR (METAL) DISTRIBUTION BOARD (SPN) - IP43			
04451	4 Ways	972.00	16
04455	6 Ways	1105.00	16
04452	8 Ways	1340.00	12
04453	12 Ways	1752.00	12
04454	16 Ways	2075.00	9

ATLANTIC DOUBLE DOOR (METAL) DISTRIBUTION BOARD (TPN) - IP43			
04465	4 Ways (4+12)	2850.00	6
04466	6 Ways (4+18)	3400.00	6
04467	4 Ways (8+12) NEW	3000.00	6
04468	6 Ways (8+18) NEW	3450.00	6
04469	8 Ways (8+24) NEW	4070.00	6
04470	12 Ways (8+36) NEW	5650.00	3

The new Atlantic series of MCB Distribution boards IP43, Steel Sheet, Phosphatised, powder coated with din rail, removable busbar, shrouded neutral/earth link with Conditional Short Circuit Rating of 15kA in SPN DB provided with Isolable neutral link to carry out isolation test, also with high integrity/Clean Earth kit as accessory for electronic/IT installation to meet international safety standards DB is designed with ample space for wiring.

NEW

PHASE SELECTOR DD (METAL) with Rotary Switches - Duly Wired (IP42)			
04479	4 Ways (8+12) - 40A	9000.00	1
04480	6 Ways (8+18) - 40A	9200.00	1
04481	8 Ways (8+24) - 40A	9700.00	1
04482*	12 Ways (8+36) - 40A	13000.00	1

NEW

PHASE SELECTOR DD (METAL) with Rotary Switches - Duly Wired (IP42)			
04492	4 Ways (8+12) - 63A	9800.00	1
04493	6 Ways (8+18) - 63A	10000.00	1
04494	8 Ways (8+24) - 63A	10400.00	1
04495*	12 Ways (8+36) - 63A	13100.00	1

The new Atlantic series of Phase Selector Distribution boards IP42, Steel Sheet, Phosphatised, powder coated with din rail, removable busbar, shrouded neutral/earth link and cable ties for cable management with inbuilt 3 nos. of 63A Phase Selector switches and 3 nos. piano switches. Suitable for flush mounting and surface mounting, fully insulated bus bar & neutral bar with door earthing and provision for FP MCB/ISOLATOR/RCCB/RCBO as incomer and SP/TP MCBs as outgoing, With 100A copper bus bar for each phase.

* introducing shortly

POWERGUARD
METALLIC DISTRIBUTION BOARD

Goldmedal®
SWITCHES & SYSTEMS

Code	Item - Rating Amps/ Volts	MRP ₹	Pkg. Unit/Cs.
SINGLE DOOR METAL DISTRIBUTION BOARD (COMPACT) - SPN			
03101	4 Ways	459.00	24
03102	6 Ways	559.00	20
03103	8 Ways	649.00	16
03104	12 Ways	778.00	12
03105	16 Ways	920.00	10

Sheet Steel, Phosphatised, Powder coated
MCB DBs with Bus Bar,
Neutral Link, Earth Link, Din Rail.

SINGLE DOOR METAL DISTRIBUTION BOARD (COMPACT) - TPN			
03116	4 Ways (4+12)	1456.00	6
03117	6 Ways (4+18)	1871.00	6
03118	8 Ways (8+24)	2224.00	4

Sheet Steel, Phosphatised, Powder coated
MCB DBs with Bus Bar,
Neutral Link, Earth Link, Din Rail.

SINGLE DOOR METAL PHASE SELECTOR DBs (COMPACT) - SPN			
03129	4 Ways (6+12) - 40/63A	2029.00	4
03130	6 Ways (6+18) - 40/63A	2283.00	4
03131	8 Ways (8+24) - 40/63A	2544.00	4

AC METAL PLUG & SOCKET DBs			
03182	20A Flush Mounting - Estillo	500.00	24
03206	20A Flush Mounting - Deluxe	506.00	24

SP & N enclosure with Two Pole
and earth metal Plug and Socket for
incorporating SP MCBs

CAM OPERATED ROTARY SWITCH			
03232	3 Ways - 25A	324.00	1
03233	3 Ways - 32A	340.00	1
03234	3 Ways - 40A	613.00	1
03235	3 Ways - 63A	628.00	1

- Modular construction
- Enhanced life
- High Reliability
- Aesthetic design
- Temperature withstand capability
- Voltage Impulse test

Factory built service : Goldmedal can save your time and money by pre-assembling consumer units as per your requirements

estilo DB

Code	Item - Rating Amps/ Volts	MRP ₹	Pkg. Unit/Cs.
ESTILO DOUBLE DOOR (METAL) DISTRIBUTION BOARD - SPN			
03173	6 Ways	1074.00	8
03174	8 Ways	1409.00	8
03175	12 Ways	1944.00	6
03176	16 Ways	2289.00	6

Sheet Steel, Phosphatised, Powder coated
MCB DBs with Bus Bar, Neutral Link,
Earth Link, Din Rail and Cable Ties.

ESTILO DOUBLE DOOR (METAL) DISTRIBUTION BOARD - TPN			
03177	4 Ways (4+12)	3210.00	3
03178	6 Ways (8+18)	3963.00	3

Sheet Steel, Phosphatised, Powder coated
MCB DBs with Bus Bar, Neutral Link,
Earth Link, Din Rail and Cable Ties.

ESTILO DOUBLE DOOR (METAL) PHASE SELECTOR DBs			
03179	4 Ways (8+12) - 40/63A	6554.00	1
03180	8 Ways (8+24) - 40/63A	8009.00	1

Distribution Boards with provision of
mounting Phase Selector Switches,
for changing over to Life Phase

Sheet Steel, Phosphatised, Powder coated
MCB DBs with Bus Bar, Neutral Link,
Earth Link, Din Rail and Cable Ties.

homeguard

Main switch & Fuse units

Goldmedal® SWITCHES & SYSTEMS

PORCELAIN KIT-KAT FUSE

Code	Item - Rating Amps/ Volts	MRP ₹	Pkg. Unit/Cs.
05101	16A / 240V Pilot	68.00	120
05102	16A / 415V Excell	111.00	80
05103	32A / 415V	181.00	45
05104	63A / 415V	403.00	24
05105	100A / 415V	801.00	8
05106	200A / 415V	1330.00	6
05107	300A / 415V with Lugs	2015.00	3
05108	500A / 415V with Lugs	2390.00	3

SHEET METAL MAIN - REWIRABLE SWITCH FUSE UNITS

05125	16A / 240V - DP/SPN	563.00	18
05126	32A / 240V - DP/SPN	1202.00	8
05127	16A / 415V - TP	1416.00	6
05128	32A / 415V - TP	1742.00	4
05129	63A / 415V - TP	4433.00	2
05130	100A /415V - TP	7748.00	1
05131	200A / 415V - TP	10952.00	1

L. T. CONTROL REVERSE FORWARD SWITCHES

05147	16A / 240V	401.00	24
05148	25A / 415V	673.00	18

CHANGE OVER - WITH SHEET ENCLOSURES

05159	16A / 415V - 2 Pole	815.00	12
05160	32A / 415V - 2 Pole	1180.00	8
05171	16A / 415V - 3 Pole	1238.00	6
05172	32A / 415V - 3 Pole	1525.00	4
05183	16A / 415V - 4 Pole	1676.00	6
05184	32A / 415V - 4 Pole	1912.00	4
05185	63A / 415V - 4 Pole	5304.00	2
05186	100A / 415V - 4 Pole	8062.00	1
05187	200A / 415V - 4 Pole	15897.00	1

Features :
•High grade porcelain carrier fitted with tinned copper fuse wire•Switchgear enclosure made of CRCA sheet steel duly pre-treated and powder coated •Hard bright tin plated contacts for high conductivity & longer life •Quick make and break operating mechanism.

THE COURAGE TO INNO
THE DESIRE TO WIN O
HEART OF EVERY INNOVA
TO TAKE RISKS. THE
OUTSIDE YOUR CO
COURAGE TO ADDRES
YOU PERCEIVE OF. DRIVI
GOLDMEDAL IS OUR
WINNING PRODUCTS FO
THAT CAN EVOLVE
EVERY TIME. THE NUM
WON THE GOLDMEDAL
PROOF OF THE SUCCESS

Goldmedal®
SWITCHES & SYSTEMS

OVATE CONTINUOUSLY.
ONSISTENTLY. AT THE
ATION IS THE COURAGE
COURAGE TO STAND
MFORT ZONE. THE
S A NEED THAT ONLY
NG THIS APPROACH AT
DESIRE TO CREATE
OR OUR END USERS. SO
TO A BETTER LIFESTYLE
MEROUS ACCOLADES
FOR ITS PRODUCTS IS
S OF THIS PHILOSOPHY.

THE COURAGE TO INNOVATE CONTINUOUSLY. THE DESIRE TO WIN CONSISTENTLY.
AT THE HEART OF EVERY INNOVATION IS THE COURAGE TO TAKE RISKS. THE COURAGE TO STAND OUTSIDE YOUR COMFORT ZONE. THE COURAGE TO ADDRESS A NEED THAT ONLY YOU PERCEIVE OF. DRIVING THIS APPROACH AT GOLDMEDAL IS OUR DESIRE TO CREATE WINNING PRODUCTS FOR OUR END USERS. SO THAT THEY CAN EVOLVE TO A BETTER LIFESTYLE EVERY TIME. THE NUMEROUS ACCOLADES WON BY GOLDMEDAL FOR ITS PRODUCTS IS PROOF OF THE SUCCESS OF THIS PHILOSOPHY.

NOTES

BRAND IDENTITY, CONCEPT & DESIGN BY GOLDMEDAL ELECTRICALS PVT. LTD.

www.facebook.com/
goldmedalindia

www.twitter.com/
goldmedalindia

www.youtube.com/
goldmedalelectricals

www.goldmedalindia.com

SCAN this QR-code
from your smart phone to know more.

For more information SMS **GWORLD to 56161**

Date of issue: April 2017.

GOLDMEDAL ELECTRICALS PVT. LTD.
Bldg. No. 2, Shripal Industrial Estate, Valliv Road, Vasai (E), Palghar - 401208, Maharashtra, India.
Tel. : 91-0250-2456573/74/75 Fax : 91-0250-2456576 Email: info@goldmedalindia.com
Customer Care No.: 1800 209 0234